



AirMAG-R /

	AirMAG-R 1.4	AirMAG-R1.6	AirMAG-R 1.9	AirMAG-R 2.2
	1.4	1.6	1.9	2.2
LED	∠ D 1010	∠ D 1010	∠ D 1010	∠ D 1515
	451584 /m ² 112896 /	360000 /m ² 90000 /	262144 /m ² 65536 /	200704 /m ² 50176 /
(W × H) (mm)	250 250	250 250	250 250	250 250
(W × H × D) (mm)	500 500 89.6	500 500 89.6	500 500 89.6	500 500 89.6
/ (W × H)	2 2	2 2	2 2	2 2
(W × H)	168 168	150 150	128 128	112 112
(W × H)	336 336	300 300	256 256	224 224
	9.5 ∠ *	9.45 ∠ *	9.32 ∠ *	8.53 ∠ *
	38 ∠ *	37.8 ∠ *	37.28 ∠ *	34.12 ∠ *
	14 - 16 ∠	14 - 16 ∠	14 - 16 ∠	14 - 16 ∠
	281	281	281	281
	4000:1	4000:1	4000:1	4000:1
	55 - 92 ∠ *	55 - 92 ∠ *	55 - 92 ∠ *	41 - 69 ∠ *
	184 ∠ *	184 ∠ *	184 ∠ *	138 ∠ *
	-10 - 40 ∠ 10% - 80%	-10 - 40 ∠ 10% - 80%	-10 - 40 ∠ 10% - 80%	-10 - 40 ∠ 10% - 80%
	-20 - 60 ∠ 10% - 90%	-20 - 60 ∠ 10% - 90%	-20 - 60 ∠ 10% - 90%	-20 - 60 ∠ 10% - 90%
	600 - 800	600 - 800	600 - 800	800 - 1000
	3840 H	3840 H	3840 H	3840 H
	160	160	160	160
	140	140	140	140
LED	100000 H	100000 H	100000 H	100000 H
	20 ∠ *	20 ∠ *	20 ∠ *	20 ∠ *
	16 ∠ *	16 ∠ *	16 ∠ *	16 ∠ *
(-: ;+:)	0	0	0	0
	*	*	*	*
IP	I 30	I 30	I 30	I 30
	CE, E C, D, H, CCC, FCC*	CE, E C, D, H, CCC, FCC*	CE, E C, D, H, CCC, FCC*	CE, E C, D, H, CCC, FCC*

应用领域

- >
- >
- >
- >
- >

AirMAG-R /

		2.9
		┌ D 2020
		112896 /m ² 28224 /
		250 250
		500 500 86
		2 2
		84 84
		168 168
		7.63 \ / *
		30.52 \ / *
		14 - 16 .
		281
		4000 : 1
		41 - 69 \ /
		138. /
		-10 - 40 / 10% - 80%
		-20 - 60 / 10% - 90%
		1000 - 1200
		3840 H
		160
		140
		100000 H *
		120 *
		- •U Đq