



AirULTRA-R /

| | AirULTRA-R 3 | AirULTRA-R 4 | AirULTRA-R 5 |
|--|--------------------------------|--------------------------------|--------------------------------|
| | 3.9 mm | 4.6 mm | 5.2 mm |
| | SMD | SMD | SMD |
| | 65536 16384 | 46,656 11,664 | 36,864 9, 216 |
| | 250 × 250 | 250 × 250 | 250 × 250 |
| | 500 × 500 × 86 | 500 × 500 × 86 | 500 × 500 × 86 * |
| | 2 × 2 | 2 × 2 | 2 × 2 |
| | 64 × 64 | 54 × 54 | 48 × 48 |
| | 128 × 128 | 108 × 108 | 96 × 96 |
| | 7.9 kg/ | 7.9 kg/ | 7.9 kg/ |
| | 31.6 kg/m ² | 31.6 kg/m ² * | 31.6 kg/m ² * |
| | 14 - 16 bit | 14 - 16 bit | 14 - 16 bit |
| | 281 trillion | 281 trillion | 281 trillion |
| | 4000 : 1 | 4000 : 1 | 4000 : 1 |
| | 55 - 92 w/ | 55 - 92 w/ | 55 - 92 w/ |
| | 184 w/ | 184 w/ | 184 w/ |
| | -30 - 50 / 10% - 90% | -30 - 50 / 10% - 90% | -30 - 50 / 10% - 90% |
| | -30 - 60 / 10% - 95% | -30 - 60 / 10% - 95% | -30 - 60 / 10% - 95% |
| | 5000 nits | 5000 nits | 5000 nits |
| | 3840 Hz | 3840 Hz | 3840 Hz |
| | 140° | 140° | 140° |
| | 120° | 120° | 120° |
| | 100000 Hrs | 100000 Hrs | 100000 Hrs |
| | 20 | 20 | 20 |
| | 16 | 16 | 16 |
| | -10°/-5°/0°/+5° | -10°/-5°/0°/+5° | -10°/-5°/0°/+5° |
| | | | |
| | IP 65 | IP 65 | IP 65 |
| | CE, EMC ClassA, ETL, RoHS * | CE, EMC ClassA, ETL, RoHS * | CE, EMC ClassA, ETL, RoHS * |

